



PI3035ie HMI

Wecon PI 3.5 inch Small HMI: PI3035ie

- ◇Hardware: Cortex A35 1.2GHz, 128M FLASH+ DDRII 64MB
- ◇Display size: 3.5 inch
- ◇Resolution: 320×240 TFT LCD, 16,000K colors
- ◇Interface: RS232, RS422 / RS485 (2 in 1)

[Software&manual](#)

[Inquiry](#)



Specification

Physical & Electrical

	Series	PI3000ie
	Model	PI3035ie
Main	OS	Linux 4.4.0 QT based
	Processor	Cortex A35 1.2GHz
Display	Size	3.5"
	Screen	TFT
	Resolution	320*240
	Color	16,000k colors
	Brightness (cd/m2)	300
	Backlight	LED
	Backlight Lifetime	50,000 hours
	Touch Panel	High precision four-wire resistive
Storage	Memory	64 MB
	Flash	128 MB
	SD Card Slot	--
	USB Port	Micro USB



I/O Port	COM1	CN1:RS422/RS485 CN2: RS232
	COM2	--
	COM3	--
	Ethernet	--
	CANopen	--
	Wi-Fi	--
	4G LTE	--
Power	Rated Power	< 5W
	Power Voltage	DC 24V
	Input range	DC 12 ~ 28V
	Shell Color	Grey
Enclosure	Shell Material	PC+ABS
	Overall Size (mm)	96.0W*81.0W*33.0D
	Mounting Size (mm)	91.0W*73.0D
	Mounting Method	Panel Mount
	Weight (Kg)	0.14
Environment	Working Temperature	-10 ~ 55°C
	Storage Temperature	-20 ~ 70°C
	Humidity	10 ~ 90%RH (Non-condensing)
	Vibration Resistance	10 ~ 25 Hz (X, Y, Z direction 2G/30 minutes)
	Cooling	Air Cooling
Software	Programming	PIStudio
	Remote Access	--
	Email Alarm	--
	IP Camera	--
	Audio Output	--
	Video Player	--
	Data Tool	Yes
Certificates	IP Code	IP65 (Front panel)
	CE	CE Marked
	FCC	FCC Class A
	UL	--



Subscribe

Subscribe for more product news

Submit the Email

→ submit



ABOUT US

PRODUCTS

SOLUTIONS

INDUSTRIAL IOT

SUPPORT

Email

sales@we-con.com.cn

Service Hotline

400-799-8189

Technical Support

support01@we-con.com.cn

support02@we-con.com.cn

About WECON

Distributor Recruitment

HMI

PLC

V-BOX

SERVO

IIOT

Machinery

V-NET

V-BOX \ ig IIOT HMI

APP

Solution

V-NET Cloud Demo

Download

After-sales Service





原文

提供更好的翻译建议

